

COMMERCIAL



C A M B R I A[®]

Find your inspiration

NATURAL STONE SURFACES || PALETTE

THE MARK OF THE LEGEND



As the industry leader, Cambria combines only the purest natural quartz, unmatched American craftsmanship, family-owned values, and a steadfast dedication to quality to create exceptional natural stone surfaces. Only when our surfaces are perfect will they display the Cambria medallion—our mark of absolute quality.

FLAWLESS performance

Cambria uses the purest natural quartz to create stunning designs with exceptional depth and clarity throughout the entire slab—not just on the surface.

- Superior durability for chip and scratch resistance
- Nonporous to keep spills from becoming stains
- Full Lifetime Warranty
- Maintenance free for easy-care cleanups with no sealing required



MARWELL™

PEACE OF MIND for life



FULL LIFETIME
WARRANTY

Every Cambria natural quartz surface is proudly backed by a transferable Full Lifetime Warranty.

No other quartz manufacturer offers this kind of guarantee. We also provide first-class service throughout the life of the product.

LUXURY

by design



WHITE CLIFF™

Luxury Series


Representing a modern renaissance in natural stone surfaces, the Luxury Series epitomizes a mastery of traditional processes refined over decades in a way only Cambria can. Always striving to satisfy the most discerning design sensibilities, Luxury Series designs offer a remarkable melding of form and function for rare beauty unlike anything else in the world.




DELGATIE™



BRITTANICCA WARM™



BENTLEY™



QUEEN ANNE™



CLAIRIDGE™



LEVVEN™



IRONSBRIDGE™



BRITTANICCA GOLD™




MAYFAIR™



CLAREANNE™




ISLINGTON™



GOLDEN DRAGON™




ELLA™



ANNICCA™




HUNTLEY™



OAKMOOR™




ROXWELL™



MERSEY™



BRITTANICCA™



SKARA BRAE™




MYDDLETON™

This design can be backlit




BAYBRIDGE™

This design can be backlit



MARWELL™



BLACKPOOL MATTE™

Only available in Cambria Matte™ finish

THE PERFECT FINISHING TOUCH

Our designs are available in high gloss or Cambria Matte™ finish. Each finish offers optimal performance and is covered by our Full Lifetime Warranty.

QUEEN ANNE™

high gloss

QUEEN ANNE
MATTE™

cambria matte™



WHITEHALL™




SNOWDON WHITE™



WINTERBOURNE™



ROSEDALE™



SEAGROVE™



MONTGOMERY™



NEW QUAY™




DUNMORE™



DEVON™




CUDDINGTON™



KENTMERE™



DARLINGTON™



NEVERN™



ARAGON™



SUTTON™



LANCASTER™




NEWPORT™



KIRKSTEAD™



HIGHGATE™



ROSE BAY™



BERWYN™




KELVINGROVE™



WISLEY™



GREYSTONE™



CASTELL™



CASTLEMARTIN™



COSWELL CREAM™



WINDERMERE™



BERKELEY™




LINCOLNSHIRE™



STAFFORD BROWN™



CRANBROOK™



DOVEDALE™



WEYBOURNE™



WAVERTON™




PENDLE HILL™



CROWNDALE™




PRAA SANDS™



GALLOWAY™



CARRICK™



BRENTWOOD™



FAIRBOURNE™



TENBY CREAM™



CLYDE™



BUCKINGHAM™



NEWHAVEN™



BURTON BROWN™



WINCHESTER™



TORQUAY™



SWANBRIDGE™



WHITNEY™



SUMMERHILL™




BEAUMONT™



BELLINGHAM™



TEMPLETON™



BRIDGEWATER™



CARDIFF CREAM™



SANFORD™



NEW CASTLE™




DOVER™




BRADSHAW™



LINWOOD™



SHIREBROOK™




CANTERBURY™



GOLDEN DRAGON™
BLACKPOOL MATTE™



WENTWOOD™




HELMSLEY™




WALTON™



CANONGATE™




HOLLINSBROOK™



CARDIGAN RED™




OAKHAMPTON™



SKYE™



DARON™



BRISTOL BLUE™




ASHFORD™




HAVERGATE™




RAMSEY™



MANCHESTER™




ELLESMERE™



BRIGHSTONE™




NOTTINGHAM™



BALA BLUE™




MINERA™




WATERFORD™



BRADFORD™




HARLECH™



NEW BRIGHTON™
This design can be backlit




HAMPSHIRE™



ARMITAGE™



ROSSLYN™




BURNBURY™



PARYS™




FIELDSTONE™




SOUTHAMPTON™



WILLISTON™




LANGDON™




COLLYBROOKE™



LANESHAW™



ABERDEEN™




HAZELFORD™



WESTMINSTER™




TALBOT GRAY™




HADLEY™




DURHAM™




OXWICH GREEN™




SHARPHAM™




WELLINGTON™




EDINBUROUGH™



WELSHPOOL BLACK™




PRINCETOWN™




CHARSTON™




MENAI™



BRAEMAR™



FLINT BLACK™



BLACKWOOD™




CAMBRIA BLACK™



Use your smartphone camera to scan the QR code to see slab views of Cambria's entire design palette online.


PRODUCT INFORMATION

Product capabilities vary by design and by market.




Slab sizes are approximate

For complete product information and availability, please contact our technical hotline at 1-888-7QUARTZ (1-888-778-2789) or CustomerService@CambriaUSA.com, or visit CambriaUSA.com/Commercial.



SLAB THICKNESS GUIDE

Nominal slab = 1cm, 2cm & 3cm
Countertop = 2cm & 3cm
Tile = 1cm & 2cm



APPROX. SLAB WEIGHT

ARTFUL EDGE PROFILES

Cambria offers distinctive edge profiles from simple to ornate.



BRITTANICCA WARM™
Idris Edge

PRODUCT PERFORMANCE DATA

TEST	TYPICAL RESULT	METHOD
Gloss, % incident light reflected at 60° - polished finish	≥ 47% minimum	Glossmeter
Gloss, % incident light reflected at 60° - Cambria Matte™ finish	11-22%	Glossmeter
Density	2.4 g/cm³	Hydrostatic scale
Moisture Absorption	Negligible	ASTM C-97
Modulus of Rupture	6,800 psi	ASTM C-99
Compressive Strength	24,750 psi	ASTM C-170
Abrasion Resistance	223	ASTM C-501
Bond Strength	205 psi	ASTM C-482
Thermal Shock	Passes-5 cycles	ASTM C-484
Coefficient of Thermal Expansion	1.2x10 ⁻⁵ inch/°F	ASTM C-531
Breaking Strength of Tile	3,661 lbf	ASTM C-648
Resistance to Freeze Thaw Cycling	Unaffected-15 cycles	ASTM C-1026
Wet Dynamic Coefficient of Friction	0.34	ANSI A137.1
Dry Dynamic Coefficient of Friction	0.72	ANSI A137.1
Surface Burning Characteristics	17 (Class A/1 Rating)	ASTM E-84
Smoke Density	Flaming-196 / Non-flaming-69	ASTM E-662
Cigarette Burn	Unaffected	ANSI Z-124.6
Stain Resistance	Unaffected	ANSI Z-124.6

For complete product information and availability, please contact our technical hotline at 1-888-7QUARTZ (1-888-778-2789) or CustomerService@CambriaUSA.com, or visit CambriaUSA.com/Commercial.



Cambria’s design samples are small selections cut from a slab and do not fully show all design characteristics of a slab or the final installed product. Prior to purchase, view a larger representation of a design at CambriaUSA.com. Variations in natural quartz stone color, pattern, size, shape, and shade are unique and inherent characteristics of Cambria products. Certain designs include natural free-flowing quartz crystals that may result in surface deviations to the touch and appearance. Color blotches are intended to enhance the natural beauty of many of Cambria’s designs. These variations and characteristics do not affect performance and do not qualify for product replacement. Cambria products are not seamless when installed; seams are visible and design pattern and shade will change at seams. Surface markings are more visible on monotone colors than multicolored surfaces. Cambria Matte™ finish will show surface markings caused during normal use, which are easily removed with an all-purpose cleaner such as concentrated Simple Green® cleaner. Cambria is durable and resistant to surface damage. However, all stone can be damaged by force, and no stone is chip- and scratch-proof. Objects hitting Cambria’s surface, especially at edges near sinks or dishwashers, may chip the product. Sudden and/or rapid temperature change may damage the product. Direct or sustained heat transfer, for example from pots, pans, and other cooking units such as griddles, slow cookers, and heat lamps, may damage Cambria’s surface. Therefore the use of a solid trivet is always recommended. Cambria is not a structural support material and must be supported in every application. To learn more about Cambria, please visit CambriaUSA.com.



